Index, Volume 47, 1994

A

Abandoned mine land, 206
Abasto, Percy, 245
Abiotic versus biotic controls, 133
Abraham, Leah, 33
Abscisic, 460
Acid-detergent fiber, 398
Adams, Barry W., 28
Adams, Don., C, 258, 303
Aeration of soil, 28
Agropyron dasystachyum (Hook.) Scribn, 279
Agropyron destertorum, 460
Airborne synthetic aperture radar analysis of rangeland revegetation of a mixed prairie, 385
Al-Rowaily, Saud L., 429
Ali, Eltom, 494
Alien winter annuals, 450, 470
Allen, Douglas R., 64
Allen-Diaz, B.H., 151
Allocation partitioning, 470
Alopecurus arundinaceus, 178
Alternative dispute, 70
Alternative dispute resolution, 70, 100
Ambrosia psilostachya, 467
Amino acid, 467
Ammonium, 33
Anderson, D.M., 424
Andropogon hallii Hack., 84
Animal husbandry, 112
Annuals, 480
Arid
  highlands, 245
  lands, 405
  revegetation, 2
Aristida stricta, 43
Artemisia tridentata, 231
Asleson, Mark A., 457
Aspen reproduction, 79
Astragalus mollissimus var *mollissimus* Torr., 123
Atriplex canescens, 475
Attitudes, 365
Austin, Dennis D., 8, 308
Azospirillum, 12

B

Barnett, Jenny K., 114
Bartolome, J.W., 151
Bartos, Dale L., 79
Baseline trend, 48
Beaked sedge *(Carex rostrata)*, 64
Beef cattle, 258
Benkobi, Lakhdar, 74
Big-game browse, 231
Big sagebursh, 8
Bioclimatic factors, 275
Biological control, 429
Biondini, Mario E., 444
Bison grazing, 395
Bite
  depth, 127
  size, 127
Bite characteristics of wapiti *(cervus elaphus)* in seasonal *Bromus-Poa* swards, 127
Bitterbrush, 200
Blank, Robert R., 2, 33
Bluebunch wheatgrass, 119, 240
Bolivia, 245
Book Reviews, 94, 174, 255, 315, 413, 505
Booth, D. Terrance, 485, 503
Booth, Gordon D., 79
Botanical composition, 28
Bothriochloa ischaemum, 210, 215
Bouteloua hirsuta Lag., 84
Brejda, John J., 22, 192
Brisco, B., 385
British Columbia, 379
Bromus japonicus, Thumb. 140
Bromus tectorum, 450, 470
Brown, James K., 22, 79
Brown, R.J., 192, 385
Browse, 457
Browse production, 296
Browsing of willows, 435
Brummer, Joe E., 84, 178, 489
Bryant, L.D., 240
Buchloe dactyloides, 475
Bunchgrass, 395
Bureau of Land Management, 365
Burning, 159, 296
Butler, Jack L., 249

C

Ca, 485
Cactus, 251, 410
Calamovilfa longifolia (Hook.) Scribn., 84
Call, Chris A., 369
Canopy
  cover, 359
  effect, 151
  moisture, 385
  temperature, 460
Capels, Kathleen M., 359
Carbohydrate reserves, 481
Carbohydrates, 460
Cardenas, Manual, 405
Carex nebraskensis, 178
Carex spp, 178
Cates, Rex C., 435
Cation concentration in post-imbibed winterfat seeds as influenced by imbibition temperature, 485
Catling, P.M., 226
Cattle, 489
  grazing, 270, 275, 355
  nutrition, 405
Cattle diet quality under short duration grazing on tallgrass prairie, 489
Cattle grazing white locoweed in New Mexico: Influence of grazing pressure and phenological growth stage, 270
Cattle preference for 4 wheatgrass taxa, 119
Centaurea maculosa Lam., 481
Centaurea solstitialis, 450, 470
Centrocercus urophasianus, 90, 114
Ceratoides lanata, 485
Chaining, 457
Changes in pinyon-juniper woodlands in western Utah's Pine Valley between 1933-1989, 359
Chapman, Phillip L., 48
Chemical treatment, 159
Chenopod shrubs, 165
Clark, Richard T., 258
Clay, 206
Clear-cut, 379
Coady, Sean A., 258
Cobb-Jones apparatus, 503
Coleman, S.W., 210
Colinus virginianus, 467
Comparative growth and interference between cheatgrass and yellow starthistle seedlings, 470
Comparison of frontal, continuous, and rotational grazing systems, A., 210
Comparison of sheep and goat preferences for leafy spurge, 429
Compensation, 112
Compensatory gain, 54
Competition, 184
Competitive bidding, 155
Competitive pricing for the McGregor Range: Implications for federal grazing fees, 155
Condensed tannins, 398
Conditioned food aversion, 123
Conflict resolution, 70
Conklin, Nancy Lou., 378
Conner, J.Richard., 349
Controlled release chromic oxid and alkaline peroxide lignin marker methods, 418
Cook, John G., 296
Correlation, 344
Costa Rica, 398
Cox, Jerry R., 373
Crawford, John A., 90, 114
Creamer, W.H., 231
Crested wheatgrass, 119, 385
Crude protein, 312, 226

D

D. accidentale, 369
Decision-making, 338, 344
Decomposition, 444
Defoliation
  frequency, 215, 220
  intensity, 215
Defoliation of a northern wheatgrass community: Above- and belowground phytomass productivity, 279
Delphinium barbeyi, 369
Delphinium barbeyi L. Huth, 275
Demarais, Stephen, 235
Demography, 450
Depth planting, 145
DePuit, E.J., 206
Derner, Justin D., 220
Diazotrophic bacteria, 192
Diet, 114, 308, 489
  quality, 127
  selection, 245, 424
Diets, 90

Index, Volume 47, 1994

A

Abandoned mine land, 206
Abasto, Percy, 245
Abiotic versus biotic controls, 133
Abraham, Leah, 33
Abscisic, 460
Acid-detergent fiber, 398
Adams, Barry W., 28
Adams, Don., C, 258, 303
Aeration of soil, 28
Agropyron dasystachyum (Hook.) Scribn, 279
Agropyron destertorum, 460
Airborne synthetic aperture radar analysis of rangeland revegetation of a mixed prairie, 385
Al-Rowaily, Saud L., 429
Ali, Eltom, 494
Alien winter annuals, 450, 470
Allen, Douglas R., 64
Allen-Diaz, B.H., 151
Allocation partitioning, 470
Alopecurus arundinaceus, 178
Alternative dispute, 70
Alternative dispute resolution, 70, 100
Ambrosia psilostachya, 467
Amino acid, 467
Ammonium, 33
Anderson, D.M., 424
Andropogon hallii Hack., 84
Animal husbandry, 112
Annuals, 480
Arid
  highlands, 245
  lands, 405
  revegetation, 2
Aristida stricta, 43
Artemisia tridentata, 231
Asleson, Mark A., 457
Aspen reproduction, 79
Astragalus mollissimus var *mollissimus* Torr., 123
Atriplex canescens, 475
Attitudes, 365
Austin, Dennis D., 8, 308
Azospirillum, 12

B

Barnett, Jenny K., 114
Bartolome, J.W., 151
Bartos, Dale L., 79
Baseline trend, 48
Beaked sedge *(Carex rostrata)*, 64
Beef cattle, 258
Benkobi, Lakhdar, 74
Big-game browse, 231
Big sagebursh, 8
Bioclimatic factors, 275
Biological control, 429
Biondini, Mario E., 444
Bison grazing, 395
Bite
  depth, 127
  size, 127
Bite characteristics of wapiti *(cervus elaphus)* in seasonal *Bromus-Poa* swards, 127
Bitterbrush, 200
Blank, Robert R., 2, 33
Bluebunch wheatgrass, 119, 240
Bolivia, 245
Book Reviews, 94, 174, 255, 315, 413, 505
Booth, D. Terrance, 485, 503
Booth, Gordon D., 79
Botanical composition, 28
Bothriochloa ischaemum, 210, 215
Bouteloua hirsuta Lag., 84
Brejda, John J., 22, 192
Brisco, B., 385
British Columbia, 379
Bromus japonicus, Thumb. 140
Bromus tectorum, 450, 470
Brown, James K., 22, 79
Brown, R.J., 192, 385
Browse, 457
Browse production, 296
Browsing of willows, 435
Brummer, Joe E., 84, 178, 489
Bryant, L.D., 240
Buchloe dactyloides, 475
Bunchgrass, 395
Bureau of Land Management, 365
Burning, 159, 296
Butler, Jack L., 249

C

Ca, 485
Cactus, 251, 410
Calamovilfa longifolia (Hook.) Scribn., 84
Call, Chris A., 369
Canopy
  cover, 359
  effect, 151
  moisture, 385
  temperature, 460
Capels, Kathleen M., 359
Carbohydrate reserves, 481
Carbohydrates, 460
Cardenas, Manual, 405
Carex nebraskensis, 178
Carex spp, 178
Cates, Rex C., 435
Cation concentration in post-imbibed winterfat seeds as influenced by imbibition temperature, 485
Catling, P.M., 226
Cattle, 489
  grazing, 270, 275, 355
  nutrition, 405
Cattle diet quality under short duration grazing on tallgrass prairie, 489
Cattle grazing white locoweed in New Mexico: Influence of grazing pressure and phenological growth stage, 270
Cattle preference for 4 wheatgrass taxa, 119
Centaurea maculosa Lam., 481
Centaurea solstitialis, 450, 470
Centrocercus urophasianus, 90, 114
Ceratoides lanata, 485
Chaining, 457
Changes in pinyon-juniper woodlands in western Utah's Pine Valley between 1933-1989, 359
Chapman, Phillip L., 48
Chemical treatment, 159
Chenopod shrubs, 165
Clark, Richard T., 258
Clay, 206
Clear-cut, 379
Coady, Sean A., 258
Cobb-Jones apparatus, 503
Coleman, S.W., 210
Colinus virginianus, 467
Comparative growth and interference between cheatgrass and yellow starthistle seedlings, 470
Comparison of frontal, continuous, and rotational grazing systems, A., 210
Comparison of sheep and goat preferences for leafy spurge, 429
Compensation, 112
Compensatory gain, 54
Competition, 184
Competitive bidding, 155
Competitive pricing for the McGregor Range: Implications for federal grazing fees, 155
Condensed tannins, 398
Conditioned food aversion, 123
Conflict resolution, 70
Conklin, Nancy Lou., 378
Conner, J.Richard., 349
Controlled release chromic oxid and alkaline peroxide lignin marker methods, 418
Cook, John G., 296
Correlation, 344
Costa Rica, 398
Cox, Jerry R., 373
Crawford, John A., 90, 114
Creamer, W.H., 231
Crested wheatgrass, 119, 385
Crude protein, 312, 226

D

D. accidentale, 369
Decision-making, 338, 344
Decomposition, 444
Defoliation
  frequency, 215, 220
  intensity, 215
Defoliation of a northern wheatgrass community: Above- and belowground phytomass productivity, 279
Delphinium barbeyi, 369
Delphinium barbeyi L. Huth, 275
Demarais, Stephen, 235
Demography, 450
Depth planting, 145
DePuit, E.J., 206
Derner, Justin D., 220
Diazotrophic bacteria, 192
Diet, 114, 308, 489
  quality, 127
  selection, 245, 424
Diets, 90

Diets and food selection of sage grouse chicks in Oregon, 90
Diet selection and utilization by llama and sheep in high altitude arid rangeland of Boliva, 245
Dietary, 245
habits, 429
Digestibility, 226, 245, 418
Digestible organic matter, 312
Digitizing tablet, 503
Direct and indirect effects, 349
Disturbed land, 184
Diterpenoid alkaloids, 355
Dormaar, Johan F., 28
Drainage, 457
Drawe,D. Lynn, 16
Doescher, Paul, 54
Donart, Gary B., 98
Dormaar, Johan F., 28
Drut, Martin S., 90
Dry matter intake, 418
Drying and storage effects on germination of primed grass seeds, 196
Durham, Susan L., 8

E

Economic profit, 264
Eddleman, Lee E., 54
Effects of defoliation and competition on total non-structural carbohydrates of spotted knapweed, 481
Effects of defoliation intensity on regrowth of tallgrass prairie, 38
Effect of grazing and abandoned cultivation on a Stipa-Boueloua community, 28
Effect of *Quercus douglasii* removal on understory yield and composition, The, 151
Efficiency of different quadrat sizes and shapes for sampling standing crop, 84
Elk, 79, 127, 240
Ellis, W.C., 210
Emerick, R.J., 418
Engle, David M., 467
Engle, Russel K., 84, 178
Environmental
conditions, 365
stress, 481
Eragrostis lehmanniana, 373
Erosion, 74
Eskridge, Kent M., 84, 178
Estell, R.E., 424
Euphorbia esula, 429
Eurotia lanata, 485
Evaluation of a refined surface cover subfactor for use in RUSLE, 74
Evans, John O., 369
Evans, Scott G., 159
Evapotranspiration, 373
Extended grazing systems for improving economic returns from Nebraska sandhills cow/calf operations, 258

F

Faber, W.E., 392
Factor analysis, 344
Fecal output, 418
Fertilization, 12, 467
Festuca arundinacea, 494
Festuca idahoensis, 54
Fibre, 226
Financial profit, 264
Fire effects, 79, 395
Florida flatwoods range, 43
Floristic data, 498
Flourensia cernua, 424
Foliar cover, 48
Food, 90
habits, 405
Forage, 16, 151
conditioning, 240
value, 155
preferences, 308
production, 133, 296
quality, 240, 296, 303
Foraging
ecology, 127
model, 127
Forwood, James R., 133, 410
Fowler, M. John., 155
Fraiser, Gary W., 373
Frank, A.B., 460
Fredrickson, E.L., 424
Freezing, 140
Fulbright, Timothy E., 457

G

Gabor, Timothy M., 457
Gallacher, Gray, 155
Gardner, Dale R., 355
Gartner F. Robert, 249
Garza, Jr., Andres, 16
Genin, Didier, 245
Genetic variation, 54, 60
Germination method, 503
Germination rate and emergence success in bluebunch wheatgrass, 145
Germination rate enhancement, 196
Germination and seedling establishment of spiny hopsage in response to planting date and seedbed environment, 165
Germplasm preservation, 60
Gillen, Robert L., 38, 220, 489
Glyphosate, 369
Goats, 312
Goetz, Harold, 48
Golluscio, Rodolfo A., 498
Government policy effects on cattle and wildlife ranching profits in Zimbabwe, 264
Graham, David., 123, 270
Grass cover, 498
Grass-shrub steppes, 498
Grayia spinosa, 165
Grazed height, 220
Grazing, 48, 279, 405, 444
compensation, 64
fees, 155
intensities, 133
management, 494
pressure, 270
rights, 338
systems, 107, 215, 220, 489
Grazing intensity effects on litter decomposition and soil nitrogen mineralization, 444
Great Plains, 140
Greenhouse, 481
Griffith, Larry W., 503
Grings, Elaine E., 303
Group process, 70
Growth rate, 38
Growth response of Mediter ranean herbaceous swards to inoculation with *Azospirillum brasilense*, 12
Grygiel, Carolyn E., 444
Guanacaste, 398

H

Habitat
attributes, 235
improvement, 200
Haferkamp, Marshall R., 140, 165, 481
Harms, James P., 60
Hardegree, Stuart P., 196
Hart, Richard H., 184
Hartmann, Steve., 475
Harvest date, 140
Harvest date and fertilizer effects on native and interseeded wetland meadows, 178
Hazardous waste, 475
Heavy metals, 475
Hehman, Michael W., 457
Herbage
allowance, 215
yield and quality, 178
Herbage yield, protein content, and carbohydrate in gulf cordgrass *(Spartina spartinae)*, 16
Herbicides, 369
Heritabilities of morphological and agronomic traits in western wheatgrass, 60
Hershey, Terry J., 296
Hill, J.J., 385
Holechek, Jerry L., 405
Hons, Frank M., 475
Horn, F.P., 210
Hudson, Robert J., 127
Huntsinger, Lynn, 365
Hurd, Emerenciana G., 165

I

Impacts of mule deer and horse grazing on transplanted shrubs for revegetation, 8
In vitro dry matter digestibility (IVDMD), 392
Income sources, 338
Indications of associative nitrogen fixation in eastern gramgrass, 192
Individual variation of in vitro dry matter digestibility in moose, 392
Inexpensive rain gauges constructed from recyclable 2-liter plastic soft drink bottles, 249
Influence of duration of exposure to field conditions on viability of fecal samples for NIRS analysis, 312
Influence of storage, temperature, and light on germination of Japanese brome seed, 140
Inoculation, 12
Intake, 303
Interstitial forb, 395
Irwin, Larry L., 296

J

Jaindl, Raymond G., 54
James, Lynn F., 123, 270, 275
Jensen, Don T., 275
Jiang, Zhigang, 127
Jones, Thomas A., 119
Jorgensen, Kent R., 308
Juniperus osteosperma, 359

K

K, 485
Kalmbacher, Rob S., 43
Karl, Michael G., 140
Kennett, Gregory A., 481
Kitchen, Stanley G., 145
Kituku, Vincent M., 200
Kothmann, M.M., 210
Kremer, Robert J., 192
Kreuter, Urs P., 264
Kronberg, Scott L., 429
Krueger. W.C., 240

L

Lacey, John R., 471
Ladewig, Howard W., 344
Lamb, James B., 258
Land planning, 70
LANDSAT MSS, 498
Large carnivores, 112
Larson, Larry L., 444, 470
Lauenroth, William K., 133
Laycock, W.A., 251
Leaf surface chemistry, 424
Leite, Eneas R., 312
Leslie, David M. Jr., 467
Lindwall, C.W., 385
Linear programming, 159
Litter, 279
Little bluestem tiller defoliation patterns under continuous and rotational grazing, 220
Live herbage accumulation rate, 38
Livestock, 405
  grazing, 359
  loss, 112
Llama, 245
Lochmiller, Robert L., 467
Long-term effects on brush management on vegetation diversity in ephemeral drainages, 457
Longland, William S., 2

M

MacNeil, Micheal D., 140
Machine harvester, 251
Management, 16
Management of switchgrass for forage and seed production, 22
Marlow, Clayton B., 64
Marshlands, 16
Martin, Frank G., 43
Major, D.J., 385
Manners, Gary D., 355
Mark, Lauryl C., 435
Markers, 418
Matric forb, 395
Matrix-priming, 196
McCollum, F. Ted., 220, 489
McDonald, Miller B. Jr., 485
McElroy, A.R., 226
McFarland, Mark L., 475
McLendon, Terry, 16
Measuring post-germination growth, 503
Mechanical despining of plains pricklypear, 410
Mechanical harvesting of plains pricklypear for control and feeding, 251
Methyllycaconitine, 355
Metsulfuron, 369
Mg, 485
Milchunas, Daniel G., 133
Miller, Richard F., 54
Mitchell, Ronald L., 38
Mixed-grass prairie, 184
Mixed prairie, 279
Model evaluation, 74
Modeling forage production, 231
Momont, P.A., 418
Monoterpenes, 424
Monsen, Stephen B., 145
Mule deer, 308
Mueller, D.M., 251, 410
Mueller, W.F., 424
Mysterud, Ivar, 112
Mysterud, Iver, 112

N

Na, 485
Native
  bunchgrass, 196
  forage, 226
NDVI, 498
Near infrared reflectance spectroscopy, 312
Nebraska Sandhills, 84
Net present value, 159
Net returns, 258
Neutral-detergent fiber, 398
Nichols, James T., 84, 178
Nielsen, Darwin B., 275, 369
Nielsen, Merlyn K., 258
Nielson, Dale C., 119
Nitrate, 33
Nitrogen
  fertilization, 22
  fertilizer, 178
  mineralization, 33
Nolte, Kenneth R., 457
Nondisseminated seed, 140
Nonsymbiotic nitrogen-fixation, 192
North American plant species, 60
Northern
  bobwhite, 467
  Utah, 8
  wheatgrass, 119
Noxious
  range weed, 481
  weed, 429
Nutrient quality of bluebunch wheatgrass regrowth on elk winter range in relation to defoliation, 240
Nutrition, 114, 296, 312

O

Oak savanna, 151
Observation: Cattle diets on excellent and good condition Chihuahuan desert rangelands, 405
Observation: Comparative live-history of cheatgrass and yellow starthistle, 450
Odocoileus virginianus, 235
Oklahoma, 467
O'Farrel F, DeArchaval, 210
Okon, Y., 12
Old world bluestem, 210, 215
Olson, Richard A., 200
Olson-Rutz, Kathrin M., 481
Optimization of range improvements on sagebrush and pinyon-juniper sites, 159
Opuntia polyacantha, 251, 410
Oregon, 90, 114
Organic matter, 28
Oven drying, 140
Overlap, 245
Oxytropis serica, 270
Oxytropis sericea Nutt, 123

P

Palatability, 119
Palmquist, Debra E., 2
Panicum virgatum L., 22
Partial budgets, 258
Paruelo, Jose M., 498
Pascopyrum smithii, 60, 460
Path coefficient analysis, 349
Pehrson, Å., 392
Peoples, Alan D., 467
Perceptions, 344
Perceptions vs. recommendations: A rangeland decision-making dilemma, 344
Perevolotsky, A., 12
Perennial grass, 60, 206
Persistence of Idaho fescue on degraded rangelands: Adaptation to defoliation to tolerance. 54
Pfeiffer, Kent A., 395
Pfister, James A., 275, 355
Phillips, W.A., 210
Physiological comparisons of crested wheatgrass and western wheatgrass water, 460
Picloram, 369
Pinus contorta, 379
Pinyon juniper, 359
Pinus monophylla, 359
Pinus sylvestris L., 392
Pitman, W.D., 43
Pitt, Michael D., 379
'Plains', 210, 215
Plant
  communities, 184
  development, 460
  inventory, 48
Plant responses to gypsum amendment of sidic bentonite mine spoil, 206
Pollock, Mathew T., 235
Poisonous plants, 123, 270, 275, 355
Popolizio, Carlo A., 48
Population
  dynamics, 64, 450
  genetics, 60
Populus tremuloides, 79
Potential forage value of some eastern Canadian sedges *(Cyperaceae: carex)*, 226
Powell, George W., 379

Powell, Jeff, 200
Precipitation measurement, 249
Predicting big sagebrush winter forage by subspecies and browse form class, 231
Preference index, 494
Preferences of mule deer for 16 grasses found on Intermountain winter ranges, 308
Pre-laying nutrition of sage grouse hens in Oregon, 114
Preliminary response of Sandhills prairie to fire and bison grazing, 395
Principal component, 349
Principal component analysis, 344
Pritchard, R.H., 418
Production and nutritional quality of western ragweed seed in response to fertilization, 467
Production incentives, 364
Productivity of long-term grazing treatments in response to seasonal precipitation, 133
Professional norms, 365
Proline, 460
Protection, 48
Protein, 16
Protein supplementation of stocker cattle in the northern Great Plains, 303
Pruitt, R.J., 418
Pseudoroegneria spicata, 145
Pseudoregneria spicata (Pursh) Love, 481
Public
  involvement, 100
  land, 100
Purshia tridentata, 200
Pyle, William H., 90

R

Rabbitbrush, 8
Radar backscatter, 385
Radial diffusion, 398
Rain gauge, 249
Rain-use-efficiency, 133
Ralphs, Michael H., 119, 123, 270, 275, 355, 369
Ranch decision-making, 349
Range assessment using remote sensing in Northwest Patagonia (Argentina), 498
Range
  condition, 220
  hydrology, 285
  improvement, 12, 43, 200, 251, 410
  management, 28
Rangeland, 28, 258, 303, 338, 405
  allocation, 264
Ray, Ian M., 60
Reclamation, 206
Recyclable, 249
Reece P.E., 178
Regional differences, 338
Regional differences among Texas rangeland operators., 338
Regression, 349
  models, 178
Regrowth, 240, 279
Relationship of tarbush leaf surface secondary chemistry to livestock herbivory, 424
Relative growth, 54
Remmenga, M.D., 424
Reseeding, 8
Residual herbage level, 38
Resource allocation and partitioning, 470
Revegetation, 159, 165, 184
Rhizomatous grass, 395
Richards, Rebecca T., 365
Riparian, 48
  grazing, 64
Roadifer, K.M., 206
Rodent damage, 379
Romo, James T., 279
Root plowing, 457
Rossi, R.J., 231
Rowan, R.C., 338, 344, 349
Ruminants, 418
Runnoff and erosion in intercanopy zones of pinyon juniper woodlands, 285
Russian wildrye, 385
Rutledge, J.C., 457

S

Sage grouse, 90, 114
Sagebrush, 33
Salinity, 475
Salix ecology, 435
Sampling unit, 84
Samuel, Marilyn J., 184
Schizachyrium scoparium (Michx.) Nash, 84
Schizachyrium scoparium, 220
Schuman, G.E., 206
Schumacher, William K., 22
Scots pine, 392
Secondary compounds, 435
Sediment
  budget, 285
  yield, 74
Seed and seedbed ecology, 2
Seed
  quality, 22
  size, 145
Seedbed
  ecology, 165
  environment, 485
Seeding, 308, 385
  depth and seeding rate, 2
  measurement, 503
  rate, 379
Seeding Indian ricegrass in an arid environment in the Great Basin, 2
Seedling
  measurement, 503
  vigor, 145, 485, 503
Selection, 90
Selective-placement burial of drilling fluids: Effects on soil properties, buffalograss and fourwing saltbush after 4 years, 475
Semi-arid savannas, 264
Semiarid grassland, 133
Sensitivity analysis, 450
Sesquiterpenes, 424
Shariff, Ahmed R., 44
Sharrow, Steven H., 494
Shaw, Nancy L., 165
Sheep, 245
Sheep grazing efficiency and selectivity on Oregon hill pasture, 494
Sheley, Roger L., 450, 470
Shoop, M.C., 251
Shoot population dynamics of beaked sedge following cattle grazing, 64
Short, Robert E., 303
Short-duration grazing, 494
Short-term response of riparian vegetation to 4 grazing treatments, 48
Shortgrass
  prairie, 410
  range, 251
  steppe, 133
Shrub
  cover, 498
  management, 200
  steppe, 165
  survival 296
Similarity, 457
Singer, Francis J., 435
Site selection, 235
Sites, mowing, 2, 4-D, and season affect bitterbrush twig morphology, 200
Sixty-one years of secondary succession on rangelands of the Wyoming High Plains, 184
Slant-board, 503
Smith, James L., 74
Snake River wheatgrass, 119
Social facilitation influences cattle to graze locoweed, 123
Social learning, 123
Sodium, 206, 475
Soil
  loss, 74
  moisture., 373
  N immobilization, 444
  N mineralization, 444
  quality, 28
Soil heating, nitrogen, cheatgrass, and seedbed microsites, 33
South Florida flatwoods range vegetation responses to season of deferment from grazing, 43
Smith, A.M., 385
Smith, Gretchen, 405
Soft drink bottles, 249
Species composition, 43
Spicer, K.W., 226
State of the Society Advancing the Profession, 98
Steer
  performance, 210
  production, 210
Steuter, Allen A., 395
Stevent Richard., 308
Stevens, Russell L., 38
Stochastic cominance, 258
Stocking
  level, 107
  rate, 107, 210, 215, 220, 489
Storms influence cattle to graze larkspur: An observation, 275
Streamflow generation, 285
Stuth, Jerry W., 312
Subirrigated meadow, 258
Supplements, 303
Surface cover, 74

Survey analysis, 344
Swanson, Sherman., 100
Sward structure, 127

T

Tall larkspur, 275
Tallgrass prairie, 220
Tanner, George W., 43
Tannin and in vitro digestibility of tropical browse: Predictive equations, 398
Tate, Kenneth W., 38, 220
Taxonomic and seasonal variation, 226
Texas coast, 16
Thickspike wheatgrass, 119
Thomas, D.R., 240
Tietje, W.D., 151
Tillering, 22
Tiller defoliation patterns under frontal, continuous, and rotation grazing, 215
TNC, 16
Torell, Allen L., 155
Torell, David J., 70
Total nonstructural carbohydrates, 16
Toxic alkaloid levels in tall larkspur *(Delphinium barbeyi)* in western Colorado, 355
Tracks and signs, 112
Trifolium subterranium, 494
Tripsacum dactyloids (L.) L., 192
Trlica, M.J., 74
Twelve years biomass response in aspen communities following fire, 79

U

Ueckert, Darrell N., 475
Ungulate herbivory, 435
Ungulate herbivory of willows on Yellowstone's northern winter range, 435
Urness, Philip J., 8, 308

V

Variation in BLM employee attitudes toward environmental conditions on rangelands, 365
Vegetation
  change, 359
  structure, 184
Vegetation characteristics influencing site selection by male white-tailed deer in Texas, 235
Vegetative response to burning on Wyoming mountain-shrub big game ranges, 296
Viewpoint: Alternative dispute resolution in public land management, 70
Viewpoint: Integrating CRM (Coordinated Resource Management) and NEPA (National Environmental Policy Act) processes, 100
Viewpoint: The logic of using tracks and signs in predation incidents where bears are suspected, 112
Viewpoint: Using multiple variables as indicators in grazing research and management, 107
Villca, Zenobio, 245
Volesky, J.D., 210, 215

W

Walker, John., 429
Wambolt, C.L., 231
Warm-season grasses, 22
Water balance in pure stand Lehmann lovegrass, 373
Water
  budget, 285
  content, 373
  quality, 74
  stress, 460
Weather, 275
West Neil E., 359, 429
Westenskow-Wall, K.J., 240
Western ragweed, 467
Wetlands, 16
Whitaker, Donald G., 235
White, Larry D., 338, 344, 349
White locoweed, 12, 123
Wikeem, Brian M., 379
Wilcox, Bradford P., 285
Wildlife habitat, 457
Willms, Walter.D., 28,
Willow water stress, 385, 435385
Winter range, 8, 240, 308
Wiregrass, 43
Woolly locoweed, 123
Workman, John P., 159, 246
Wrange, Keith J., 249
Wyman, Gary W., 22
Wyoming, 200

Y

Yield, 279
Yorks, Terence P., 359
Young, James A., 2, 33

Z

Zaady, E., 12
Zaiglin, Robert E., 235
Zhang, Jun, 279